
AUS920010927US1 James M. McArdle Passing Parameters To An External Command Via The Command Environment

1/4



<u>10</u>

FIG. 1

2/4

```
public int runCommand(String stepName, String cmdName, String args[]) {
    String cmd = prefs.getProperty(cmdName + ".cmd");
     Vector envp = new Vector();
     String vxargPrefix = "reportpar" + reportIndex + ".";
25
     envp.addElement("VXARG0="+ prefs.getProperty(vxargPrefix + "0", "novalue"));
    envp.addElement("VXARG1=" + prefs.getProperty(vxargPrefix +"1", "novalue"));
     envp.addElement("IWDA_WHOAMI=" + prefs.getProperty("env.whoami", "novalue"));
    envp.addElement("IWDA_PATH=" + prefs.getProperty("env.iwdpath", "novalue"));
30
    envp=loadEnvp(envp);
    int rc = 0;
35
    for(int i=0; i<args.length; i++) {
      if(args[i]==null) break;
       if(platform.startsWith("AIX")){
        cmd = cmd + "" + args[i];
40
         }
       else{
        cmd=cmd + " \"" + args[i] + "\"";
        }
45
      try {
     String envp2[]= new String[envp.size()];
      envp.copyInto(envp2);
       Process cmdProc = Runtime.getRuntime().exec(cmd,envp2);
50
       rc=cmdProc.exitValue();
       if(rc!=0) throw new Exception("rc="+rc);
     catch (Exception e) {
      return rc;
55
     return rc;
   }
```

ij

1.45


;;; ;D

AUS92001927US1 James A. McArdle **Passing Parameters To An External** Comman Via The Command Environment

3/4

```
public Vector loadEnvp(Vector envp) {
    String FS = File.separator;
    String envpFile=prefs.getProperty("env.iwddata") + FS + "tmp"+FS + "envpfile";
    String cmd;
65
      if(platform.startsWith("AIX")) {
         cmd=prefs.getProperty("env.iwddata") + FS + "tmp" + FS + "createEnv.sh";
      try {
        FileOutputStream cmdos = new FileOutputStream(cmd);
70
         PrintWriter cmdLog = new PrintWriter(cmdos);
         cmdLog.println("#!/bin/sh");
         cmdLog.println("env > "+envpFile);
         cmdLog.close();
         Process cmdProc2 = Runtime.getRuntime().exec("chmod 755 "+ cmd);
75
         cmdProc2.waitFor();
        }catch (Exception io){}
      else {
        cmd="db2cmd -c -i -w set";
80
        cmd=cmd + " >" + envpFile;
         }
      try {
85
        Process envProc =Runtime.getRuntime().exec(cmd);
        envProc.waitFor();
        FileReader fin = new FileReader(envpFile);
        BufferedReader bin = new BufferedReader(fin);
        String envpLine;
90
       while((envpLine=bin.readLine()) != null) {
           envp.addElement(envpLine);
95
        bin.close();
       fin.close();
        }
      catch (Exception e) {
        logTrace(e);
100
     return envp;
   }
                                        FIG. 3
           60
```

AUS920010927US1 James a. McArdle Passing Parameters To An External Command Via The Command Environment



<u>110</u>

FIG. 4